

POLYCAB

IDEAS. CONNECTED.

YOUR CONNECTION TO A SAFER FUTURE

House Wires & Cables Pricelist



About Polycab India Ltd

Polycab India Limited (PIL) is India's largest manufacturer of Wires and Cables and one of the fastest growing FMEG companies with a consolidated turnover of INR 141+ Bn in FY23. PIL is at the forefront of providing innovative, safe and energy efficient products to a diverse set of customers via a strong distribution network of 4,300+ authorized dealers and 205,000+ retail outlets. PIL's business operations span across India through 25 manufacturing facilities, 12+ offices and 26+ warehouses. PIL has also served customers in 70 countries globally. PIL's 4,400+ employees are dedicated to upholding robust governance practices, preserving a customer centric culture, having a purpose to serve the communities, and imbibing a genuine sense of ecological consciousness.



India's Widest Range of Wires & Cables

We manufacture and sell a diverse range of wires and cables and our key products in the wires and cables segment are power cables, control cables, instrumentation cables, solar cables, building wires, flexible cables, flexible/single multi core cables, communication cables and others including welding cables, submersible flat and round cables, rubber cables, overhead conductors, railway signalling cables and specialty cables. We strive to deliver customized and innovative products with speed and quality service. Our production process is designed to ensure quality while delivering the ability to produce complex electrical products on short timeframes to meet our customers' needs.



Innovation & Sustainability

Polycab's house wires epitomize innovation and sustainability. We've invested heavily in research and development to create products that cater to our customers' dynamic needs while maintaining a strong commitment to safety and the environment. Polycab house wires are made from **lead free non-carcinogenic raw materials**. They meet stringent European norms of RoHS and REACH


compliance. Our R&D team is dedicated to pioneering ground-breaking solutions, with a focus on customer safety. We're proud to have engineered insulating compounds that ensure safety during fire emergencies and also possess a **high oxygen index**, setting new standards for **safety and environmental responsibility**.

Quality Focus

- Our manufacturing facilities are accredited with quality management system certificates for compliance with **ISO 9001, ISO 14001 and OHSAS 18001** requirements.
- Our products are also certified to be compliant with various national and international quality standards including Bureau of Indian Standards '**BIS**', British Approvals Service for Cables '**BASEC**', **US Underwriters Laboratory, FQC** and international electrotechnical commission '**IEC**'.



EXTRA SAFE, LOW SMOKE WIRES



POLYCABMAXIMA+ PRICELIST

| SIZE (SQ.MM.) | 90 METER BOX PACKAGING | |
|---------------|------------------------|------------------|
| | LP (₹) | COILS PER CARTON |
| 0.75 | 1,420 | 28 |
| 1 | 1,925 | 24 |
| 1.5 | 2,810 | 16 |
| 2.5 | 4,415 | 12 |
| 4 | 6,450 | 8 |
| 6 | 9,650 | 6 |
| 10 | 17,000 | 1 |
| 16 | 25,100 | 1 |

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - HEAT RESISTANT FLAME RETARDANT LOW SMOKE LOW HALOGEN - LEAD FREE CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

PRODUCT FEATURES:



LOW SMOKE
DURING EXTREME FIRES



LOW TOXIC
FUMES



20% HIGHER
HEAT RESISTANCE



LEAD FREE
PVC INSULATION



RODENT
PROTECTION



MOISTURE
RESISTANT



HIGH ABRASION
RESISTANCE



ENERGY SAVING
CONSTRUCTION





REACH
COMPLIANT

RoHS
COMPLIANT

99.97% HIGH
PURITY COPPER

HIGH QUALITY MATERIALS, POWER SAVING DESIGN



POLYCABOPTIMA+ PRICELIST

| SIZE (SQ.MM.) | 90 METER BOX PACKAGING | |
|---------------|------------------------|------------------|
| | LP (₹) | COILS PER CARTON |
| 0.75 | 1,355 | 28 |
| 1 | 1,830 | 24 |
| 1.5 | 2,670 | 16 |
| 2.5 | 4,225 | 12 |
| 4 | 6,180 | 8 |
| 6 | 9,220 | 6 |
| 10 | 13,800 | 1 |
| 16 | 21,750 | 1 |

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - LEAD FREE FLAME RETARDANT (LF FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

PRODUCT FEATURES:



**FLAME
RETARDANT**



**LEAD FREE
PVC INSULATION**



**ENERGY SAVING
CONSTRUCTION**



**RODENT
PROTECTION**



**MOISTURE
RESISTANT**



**HIGH ABRASION
RESISTANCE**

**REACH
COMPLIANT**

**RoHS
COMPLIANT**

**99.97% HIGH
PURITY COPPER**

POLYCAB

FLAME RETARDANT LEAD FREE WIRES



POLYCABPRIMMA PRICELIST

| SIZE (SQ.MM.) | 90 METER BOX PACKAGING | |
|---------------|------------------------|------------------|
| | LP (₹) | COILS PER CARTON |
| 0.75 | 1,330 | 28 |
| 1 | 1,705 | 24 |
| 1.5 | 2,480 | 16 |
| 2.5 | 3,945 | 12 |
| 4 | 6,000 | 8 |
| 6 | 9,000 | 6 |

POLYCABPRIMMA PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - LEAD FREE FLAME RETARDANT (LF FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

PRODUCT FEATURES:



**FLAME
RETARDANT**



**LEAD FREE
PVC INSULATION**

99.97%
COPPER



**HIGH ABRASION
RESISTANCE**



**EASY TO PULL
INSIDE CONDUITS**



**RODENT
PROTECTION**



**MOISTURE
RESISTANT**

**REACH
COMPLIANT**

**RoHS
COMPLIANT**



SUPERIOR QUALITY POCKET FRIENDLY PRICE



POLYCAB ETIRA PRICELIST

| SIZE (SQ.MM.) | 90 METER BOX PACKAGING | |
|---------------|------------------------|------------------|
| | LP (₹) | COILS PER CARTON |
| 0.75 | 1,245 | 28 |
| 1 | 1,635 | 24 |
| 1.5 | 2,390 | 16 |
| 2.5 | 3,810 | 12 |
| 4 | 5,700 | 8 |
| 6 | 8,730 | 6 |

ETIRA PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - FLAME RETARDANT (FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

PRODUCT FEATURES:



**FLAME
RETARDANT**

99.97%


COPPER

**REACH
COMPLIANT**


**RoHS
COMPLIANT**



**EASY TO PULL
INSIDE CONDUITS**



180M POUCH PACKAGING




- 
LOW SMOKE
 DURING EXTREME FIRES
- 
LOW TOXIC
 FUMES
- 
LEAD FREE
 PVC INSULATION
- 
HIGH ABRASION
 RESISTANCE
- 
FLAMESTOP
 TECHNOLOGY
- REACH**
 COMPLIANT
- RoHS**
 COMPLIANT
- 99.97% HIGH**
PURITY COPPER
- 
RODENT
 PROTECTION

POLYCAB GREEN WIRE PRICELIST

| SIZE (SQ.MM.) | 180 METER POUCH PACKAGING | |
|---------------|---------------------------|------------------|
| | LP (₹) | COILS PER CARTON |
| 1 | 3,900 | 12 |
| 1.5 | 5,690 | 10 |
| 2.5 | 8,960 | 6 |
| 4 | 13,100 | 4 |
| 6 | 19,570 | 3 |

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - HEAT RESISTANT FLAME RETARDANT LOW SMOKE LOW HALOGEN - LEAD FREE CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS



- 
FLAME
 RETARDANT
- 
LEAD FREE
 PVC INSULATION
- 
RODENT
 PROTECTION
- REACH**
 COMPLIANT
- RoHS**
 COMPLIANT
- 99.97% HIGH**
PURITY COPPER

POLYCAB LF FR PRICELIST

| SIZE (SQ.MM.) | 180 METER POUCH PACKAGING | |
|---------------|---------------------------|------------------|
| | LP (₹) | COILS PER CARTON |
| 1 | 3,720 | 12 |
| 1.5 | 5,425 | 10 |
| 2.5 | 8,580 | 6 |
| 4 | 12,530 | 4 |
| 6 | 18,750 | 3 |

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - LEAD FREE FLAME RETARDANT (LF FR) CONFORMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

SUBMERSIBLE CABLES

ENGINEERED FOR EVERY ENVIRONMENT



Product Features



Tough & Flexible cables



Excellent moisture resistance



Highest quality electrolytic grade copper



High abrasion resistance

POLYCAB 3C FLAT SUBMERSIBLE CABLES

Polycab PVC / XLPE Insulated and PVC Sheathed Industrial 3 Core Flat Submersible Cable with Bare Bunched Copper Conductor for Submersible Pump Motors with Voltage Grade 1100 Volts as per IS:694/2010



SUBMERSIBLE/ 3CF CABLE

| | PVC INSULATED PRICE PER 100 MTR. (DRUM PACKING 500/1000 MTRS.) | XLPE INSULATED PRICE PER 100 MTR. (DRUM PACKING 500/1000 MTRS.) | PVC INSULATED PRICE PER 100 MTR. (CORROGATED BOX PACKING) |
|-----------|---|--|--|
| 1.5 SQ MM | 9,060 | 9,530 | 8,900 |
| 2.5 SQ MM | 14,070 | 14,830 | 13,800 |
| 4 SQ MM | 20,735 | 21,800 | 20,320 |
| 6 SQ MM | 30,570 | 32,100 | 30,000 |
| 10 SQ MM | 53,200 | 55,850 | |
| 16 SQ MM | 82,300 | 86,500 | |
| 25 SQ MM | 1,28,750 | 1,35,100 | |
| 35 SQ MM | 1,78,200 | 1,87,000 | |

TELEPHONE WIRE

DIAL FOR CLEARER CONVERSATIONS



Product Features



HDPE

Special grade
high density
polyethylene



Flame retardant
compound



PVC

Virgin grade
PVC resin



POLYCAB INDUSTRIAL TELEPHONE (SWITCHBOARD) CABLES

Polycab High Conductivity Solid Annealed Bare Copper industrial Telephone (Switchboard) Cables with High Density Polyethylene Insulation, Paired and Sheathed with High Oxygen Index, Fire Retardant, PVC Compound, Grey Outer Sheath generally conforming ITD Specification

| TELEPHONE (SWITCHBOARD) CABLE | | | | |
|-------------------------------|----------------|----------------|----------------|----------------|
| | 0.4 MM- 90 MTR | 0.5 MM- 90 MTR | 0.4 MM-100 MTR | 0.5 MM-100 MTR |
| 1 PAIR | 630 | 880 | 700 | 980 |
| 2 PAIR | 1,115 | 1,575 | 1,235 | 1,750 |
| 3 PAIR | 1,635 | 2,335 | 1,815 | 2,590 |
| 4 PAIR | 2,100 | 3,080 | 2,330 | 3,420 |
| 5 PAIR | 2,575 | 3,820 | 2,860 | 4,245 |
| 10 PAIR | | 7,425 | | 8,250 |
| 20 PAIR | | 14,320 | | 15,965 |
| 50 PAIR | | | | 41,400 |
| 100 PAIR | | | | 81,050 |

COAXIAL CABLES

TRUE TO LIFE PICTURE & SOUND QUALITY



Product Features



Minimum loss in signal strength for better reception



Higher bandwidth: larger network coverage



Low attenuation value: less electromagnetic interference



Minimal Structural Return Loss



Moisture Proof

POLYCAB INDUSTRIAL JELLY FLOODED CO-AXIAL CABLES

Polycab Gas Injected Physical Polyethylene Foam Insulation with Laminated Aluminium Tape and Aluminium Wire Braid, Jelly Flooded PVC Black Jacketed Industrial Coaxial Cables.

| COAXIAL CABLE | | | |
|---------------|-----------------|-----------------|-------------------------|
| | 100M UNARMoured | 305M UNARMoured | 1000M FLEXIBLE ARMoured |
| RG 59 | 2,130 | 6,500 | |
| RG 6 | 2,680 | 8,200 | 88,200 |
| RG 11 | 6,100 | 18,650 | 1,37,600 |
| RG 6 CCS | 1,735 | 5,280 | |
| RG 11 CCS | 3,490 | 10,630 | |



CCTV CABLES

GUARDING EVERY VIEW, SUPERIOR QUALITY



Product Features



Minimal signal distortion or attenuation



Designed for complete video frequency range



Ideal for both indoor & outdoor applications



No reflection & best picture quality



Alloy braiding for superior performance

POLYCAB CCTV CABLES

Coaxial cables consisting of solid annealed bare copper conductor of electrolytic grade which is insulated with physical foam PE dielectric, aluminium foil taped, jelly flooded, braided with alloy and then jacketed with UV resistant PVC.

| CCTV CABLE | | | |
|---------------------|--------|---------|----------|
| | 90 MTR | 180 MTR | 1000 MTR |
| CCTV 3+1 | 3,500 | 7,000 | |
| CCTV 4+1 | 3,810 | 7,620 | |
| CCTV 4+1 (ARMOURED) | | | 1,20,000 |



LAN CABLES

EMPOWERING DATA FLOW



Product Features



Supports Gigabit Ethernet Standard



Higher bandwidth and low signal loss




Effective transmission of high speed data



High quality video and voice streaming

POLYCAB LAN (NETWORKING) CABLES

Conductor is made of electrolytic plain annealed solid copper of size 23 AWG, high quality polyethylene insulated with suitable colour code, twisted pair. Unshielded light grey PVC jacketed with improved fire characteristic meeting requirements of TIA/EIA/568-C.2



LAN CABLE

| | UOM | LP |
|--|----------|----------|
| CAT 5E UTP FR -PVC | 305 MTR | 11,100 |
| CAT 6 UTP PVC-FR (WITHOUT SEPARATOR) | 305 MTR | 11,650 |
| CAT 6 UTP PVC-FR (WITH SEPARATOR) | 305 MTR | 12,000 |
| CAT 6 FTP FR PVC | 305 MTR | 18,400 |
| CAT 6A UTP PVC-FR | 305 MTR | 14,200 |
| CAT 6A FTP PVC-FR | 305 MTR | 21,800 |
| CAT 6 SFTP PVC-FR | 305 MTR | 27,550 |
| CAT6 UTP-ARMOURED / FLEXIBLE ARMOURED | 1000 MTR | 1,02,700 |
| CAT6 FTP-ARMOURED / FLEXIBLE ARMOURED | 1000 MTR | 1,12,300 |
| CAT6A UTP-ARMOURED / FLEXIBLE ARMOURED | 1000 MTR | 1,16,500 |
| CAT6A FTP-ARMOURED / FLEXIBLE ARMOURED | 1000 MTR | 1,27,100 |
| CAT 6 ECCS ARMOURED | 305 MTR | 26,000 |
| CAT6A - ECCS ARMOURED | 305 MTR | 28,600 |
| CAT6A SFTP - ECCS ARMOURED | 305 MTR | 36,600 |

For more details please consult Polycab LAN Cable Brochure

SPEAKER WIRE

CRYSTAL CLEAR SOUND



Product Features



Virgin grade
PVC resin




Flame retardant
compound

POLYCAB INDUSTRIAL SPEAKER WIRES

Speaker Wires (Oxygen Free Copper Conductor) (Rate in Rs. per 90 mtr)

| SPEAKER | |
|------------|--------|
| SIZE | 90 MTR |
| 0.5 SQ MM | 1,800 |
| 0.75 SQ MM | 2,600 |
| 1 SQ MM | 3,215 |
| 1.5 SQ MM | 4,775 |
| 2 SQ MM | 7,400 |
| 2.5 SQ MM | 7,930 |
| 23/36 | 1,775 |
| 40/36 | 2,710 |
| 70/36 | 3,670 |
| 23/38 | 1,200 |
| 40/38 | 1,990 |
| 70/38 | 2,700 |




SCAN & EARN

Influencer Rewards Program



INSTALL
THE EXPERTS
APP TODAY



STEPS TO EARN



Register



Scan



Earn



Redeem

BENEFITS



Cashback



Training



Schemes



Engagement

To Register yourself in the **Polycab Experts Loyalty Program**

Reach out to your Polycab Sales Team Family

call on **1800 419 1091**

TERMS AND CONDITIONS APPLY

- POLYCABPRIMMA prices are applicable only for the states of Maharashtra, Telangana, Karnataka, Gujrat, Bihar, Madhya Pradesh, West Bengal, Andhra Pradesh, Rajasthan, Kerala, Tamil Nadu and Punjab
- The above rates are exclusive of GST which shall be charged extra.
- This pricelist is subject to change without notice.
- As per international practice which is also adopted by the Bureau of Indian Standards, the diameter of the conductor shown herein is nominal; the size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and should be treated as a guideline only. It may vary within the limits of IS 8130:1994 with its related classes & tables.

POLYCAB

IDEAS. CONNECTED.

Corporate Office:

POLYCAB INDIA LIMITED

#29, The Ruby, 21st Floor, Senapati Bapat Marg,

Tulsi Pipe Road, Dadar (West),

Mumbai - 400 028, Maharashtra (India)

Ph.: +91-22-2432 7070/4, 6735 1400

Email: enquiry@polycab.com, Toll Free No.: 1800 267 0008

Follow us on: [f](#) [X](#) [in](#) [@](#) [v](#)

Website: www.polycab.com